

INVITATION PRINTING INSTRUCTIONS

1. Open your word processing software.
2. Adjust your document size to match your invitation: 3.25" x 5.75" for invitations (Item No. TW150); or 4.75" x 6.75" for your response card. Set all document margins as indicated on your Test Sheet.
3. Select a font and type your wording. Adjust the font and size as desired. (See wording and layout sample enclosed). Run spell check.
4. Preview your invitation or response card with the print preview option.
5. Photocopy the Test Sheet on the reverse side of this sheet if you would like to have multiple copies.
6. Place the Test Sheet in the manual feed tray on your printer.
7. Print one copy on the Test Sheet to verify that the wording is positioned correctly. Make any necessary revisions or changes.
8. Print your invitations, assemble and mail.

INVITATION ASSEMBLY INSTRUCTIONS

Adhere foam dots near the corners on the backside of the printed invitation (4 dots per invitation). Center the printed invite over the navy backer card and adhere using the foam dots. Slide one strip of ribbon between the invitation and backer card. Tie ribbon into knot.

The invitations and response cards are inserted into the large envelope in size order with the invitation first. Next, the response envelope is placed face down on top of the invitation, with the response card facing up, under its flap.

Wedding invitations should be mailed 4-6 weeks prior to the wedding. Invitations usually incur extra postage because of their weight. Prior to mailing, take the finished invitations to the Post Office and weigh to determine postage.

Compatible with most home and office laser printers. Please refer to your printer's instruction manual for more information.

©2012 Anna Griffin Inc. • Atlanta, Georgia 30324